## KRUGER PRODUCTS, L.P. SUSTAINABILITY KEY PERFORMANCE INDICATORS: OPERATIONS

ENERGY CONSUMPTION <sup>1</sup>	<u>UNIT</u>	<u>2018</u> *	<u>2017</u> *	<u>2016*</u>	<u>2015</u>	2009 Benchmark
Natural Gas	Gigajoules	4,314,868	4,093,447	3,970,252	4,053,601	4,271,830
	% of Total	61	61	61	61	65
Grid-Supplied Electricity	Gigajoules	2,329,479	2,305,309	2,246,507	2,187,507	1,992,136
	% of Total	33	34	34	34	31
Biomass	Gigajoules	361,216	350,841	332.189	355,002	15,977
	% of Total	5	5	5	5	0
Other (Diesel, Oil, Propane)	Gigajoules	44,760	34,020	28,297	31,392	287,585
	% of Total	1	0	0	0	4
Total	Gigajoules	7,050,322	6,783,427	6,577,246	6,627,502	6,567,528
	GJ/MDMT Produced	19.65	19.81	19.53	20.67	21.72
Energy from Renewables	% of Total	27	27	29	27	26
GREENHOUSE GAS EMISSIONS <sup>1</sup>						
CO <sub>2</sub> e Scope 1 (Direct)	Metric Tonnes CO₂e	218,365	207,015	201,963	206,732	236,712
	kg CO <sub>2</sub> e/MDMT Produced	609	605	599	644	783
CO₂e Scope 2 (Indirect)	Metric Tonnes CO₂e	119,240	121,355	132,443	142,432	63,843
	kg CO <sub>2</sub> e/MDMT Produced	332	354	393	444	211
Total	Metric Tonnes CO₂e	337,239	328,371	334,407	320,613	300,545
	kg CO <sub>2</sub> e/MDMT Produced	940	959	993	1060	994

CAC EMISSIONS <sup>1</sup>	<u>UNIT</u>	<u>2018</u> *	<u>2017</u> *	<u>2016*</u>	2015	2009 Benchmark		
NOx	Metric Tonnes	302.3	292.5	285.1	-	-		
SOx	Metric Tonnes	109.3	108.1	104.8	-	-		
TPM <sup>2</sup>	Metric Tonnes	93.2	91.3	87.5	-	-		
VOCs <sup>3</sup>	Metric Tonnes	16.1	15.5	15.2	-	-		
CO	Metric Tonnes	296.4	286.4	276	-	-		
WATER <sup>1</sup>								
Effluent Hydraulic Flow	$m^3$	19,606,335	18,895,035	20,114,475	20,471,496	22,983,464		
	M³/MDMT Produced	55	55	60	64	76		

## KRUGER PRODUCTS, L.P. SUSTAINABILITY KEY PERFORMANCE INDICATORS: PRODUCTS

FIBRE CONSUMED	<u>UNIT</u>	<u>2018</u> *	<u>2017</u> *	<u>2016*</u>	<u>2015</u>	2009 Benchmark	
Purchased Recycled	Air Dried MT	4,547	5,500	4,829	6,264	7,026	
	% of Total	1	2	1	2	3	
Produced Recycled	Air Dried MT	82,301	74,866	85,454	77,066	78,921	
	% of Total	23	22	25	24	27	
Purchased Virgin	Air Dried MT	269,765	262,939	248,803	236,917	181,091	
	% of Total	76	76	73	74	64	
Produced Virgin	Air Dried MT	-	-	-	-	16,833	
	% of Total	0	-	-	-	6	
Total	Air Dried MT	356,613	343,355	339,086	320,247	283,871	
FSC® Mix Certified	% of Total	31	34	32	33	0	
FSC® Recycled Certified	% of Total	24	22	25	24	0	
FSC® Controlled Wood	% of Total	45	44	43	43	0	
CERTIFIED PRODUCTS							
UL ECOLOGO	No. of Products	58	55	55	55	93	
Forest Stewardship Council®	No. of Products	110	107	127	126	0	
Green Seal	No. of Products	1	1	1	1	1	
CERTIFIED PAPERMAKING							
ISO 9001	% of Total Production	100	100	100	100	-	
PRODUCTION Paper	MDMT	358,807	342,427	336,771	320,613	302,414	

## KRUGER PRODUCTS, L.P. SUSTAINABILITY KEY PERFORMANCE INDICATORS: SOCIAL

	HEALTH & SAFETY	<u>UNIT</u>	<u>2018</u> *	<u>2017</u> *	<u>2016*</u>	<u>2015</u>	2009 Benchmark	
	OSHA	Incidence Rate	2.1	2.9	3.6	4.0	6.6	
	Lost Work Days	No. of Days	614	795	1,436	907	-	
	Fatalities	No. of Employees	0	0	0	0	-	
LEADERSHIP DIVERSITY								
	Women in Board Roles	Percentage	25	0	25	25	N/A	
	Women in Senior Exec Roles	Percentage	20	10	10	10	10	

MDMT=Machine Dried Metric Tonnes

<sup>\*</sup>Includes Trenton and Scarborough, ON Converting Plants Data

<sup>&</sup>lt;sup>1</sup>Manufacturing operations only.

<sup>&</sup>lt;sup>2</sup>For certain emission sources, an emission factor for TPM (total particulate matter) was not available. In these instances, PM10 or Filterable PM is used to represent TPM.

<sup>&</sup>lt;sup>3</sup>For certain emission sources, an emission factor for VOC (Volatile organic compound) was not available. In these instances, TOC (total organic carbon) or NMTOC (non-methane organic compound) is used to represent VOC.

<sup>&</sup>lt;sup>4</sup>Does not include New Westminster, BC Plant.

<sup>&</sup>lt;sup>5</sup>Only Gatineau and Crabtree, QC Plants included.

<sup>&</sup>lt;sup>6</sup>Only Crabtree and Sherbrooke, QC Plants included.

<sup>&</sup>lt;sup>7</sup>Only Gatineau, Crabtree and Sherbrooke, QC Plants included.